



## ADULT FIBRE ENERGY



20 kg

Store in a dry place, away from light,  
at room temperature.



**High-fibre** pelleted feed for **adult horses in work** or for **maintenance**. May be suitable for **senior horses** depending on their needs.



### RECOMMENDED DOSES

1 Reverdy measuring cup (2 L) = 1.4 kg  
500 kg Adult horse

| ACTIVITY                       |                   | DAILY RATION |        |
|--------------------------------|-------------------|--------------|--------|
|                                |                   | kg           | L      |
| Maintenance                    |                   | 1.4 - 2.1    | 2 - 3  |
| Leisure, instruction, trekking | Moderate workload | 2.1 - 3.5    | 3 - 5  |
| Equestrian sports              | Moderate workload | 2.8 - 4.2    | 4 - 6  |
|                                | Heavy workload    | 4.2 - 5.6    | 6 - 8  |
| Racing (training)              |                   | 4.2 - 7      | 6 - 10 |



### BENEFITS

- **Increased energy intake:** oat-based, increased extruded flaxseed content
- **Source of fibre:** promoting good digestive activity
- **Soya free**



### COMPOSITION



Oats, Dehydrated alfalfa, Straw, Extruded barley, Barley, Extruded linseed TRADI-LIN®, Dicalcium phosphate, Potato protein, Sodium chloride, Magnesium oxide, Trace elements and Vitamins.



1 : Premix (salt, minerals, vitamins, etc.)

"Quality without compromise"



## DETAILED COMPOSITION

### ANALYTICAL CONSTITUENTS

|                |        |
|----------------|--------|
| Humidity       | 11.5 % |
| Crude proteins | 12 %   |
| Crude fats     | 5 %    |
| Crude fibre    | 15.5 % |
| Crude ash      | 7 %    |
| Calcium        | 1 %    |
| Phosphorus     | 0.5 %  |
| Magnesium      | 0.2 %  |
| Sodium         | 0.2 %  |

### CARBOHYDRATES

|        |      |
|--------|------|
| Starch | 24 % |
| Sugar  | 2 %  |

### ESSENTIAL FATTY ACIDS / KG

|                          |        |
|--------------------------|--------|
| Linolenic acid (Omega 3) | 12.5 g |
| Linoleic acid (Omega 6)  | 11.5 g |

### AMINO ACIDS / KG

|            |          |
|------------|----------|
| Lysine     | 5,200 mg |
| Threonine  | 4,550 mg |
| Methionine | 2,000 mg |

### RATIONING VALUES / KG

|                        |         |
|------------------------|---------|
| UFC                    | 0.80    |
| DE (Digestible Energy) | 11.1 MJ |
| Digestible protein     | 83 g    |

### TRACE ELEMENTS / KG

|                                 |        |
|---------------------------------|--------|
| Zinc (Hydroxychloride)          | 90 mg  |
| Copper (Trihydroxy chloride)    | 35 mg  |
| Manganese (Trihydroxy chloride) | 50 mg  |
| Iron (Sulphate)                 | 35 mg  |
| Iodine (Calcium iodate)         | 0.5 mg |
| Selenium (Selenomethionine)     | 0.5 mg |

### VITAMINS / KG

|                               |           |
|-------------------------------|-----------|
| Vitamin A                     | 15,000 UI |
| Vitamin D3                    | 1,500 UI  |
| Vitamin E                     | 400 mg    |
| Vitamin K3                    | 2 mg      |
| Vitamin B1 (Thiamin)          | 20 mg     |
| Vitamin B2 (Riboflavin)       | 15 mg     |
| Vitamin B3 (PP or Niacin)     | 35 mg     |
| Vitamin B5 (Pantothenic Acid) | 15 mg     |
| Vitamin B6 (Pyridoxine)       | 10 mg     |
| Vitamin B8 (Biotin)           | 0.5 mg    |
| Vitamin B9 (Folic Acid)       | 3.5 mg    |
| Vitamin B12 (Cyanocobalamin)  | 0.1 mg    |



## PACKAGING



6 months

(Shelf life from the date of manufacture)



## REVERDY QUALITY

Raw ingredients selected for their nutritional qualities.

- ✓ No molasses
- ✓ Cereals of French origin
- ✓ Fats rich in Omega 3 and 6
- ✓ Vitamins in optimal doses
- ✓ Highly assimilable trace elements (zinc, copper, selenium)



## DIRECTIONS FOR USE

Recommendations are given for a 500 kg horse, fed with unlimited meadow hay with free access to a pure salt block and clean water.

Quantities must be adjusted according to several parameters:

- Activity, weight and body condition of the horse.
- Climatic and housing conditions.
- Type of forage, quality and quantity daily fed.

### PRECAUTIONS FOR USE:

- Do not exceed 3 liters per meal.
- Distribute the recommended rations in 2 meals minimum and respect the recommended doses.