



# CEREAL FREE

## DESCRIPTION

Pelleted hay balancer, grain free, for horses and ponies.

## PRESENTATION & CONDITIONING



20 kg

## WHY REVERDY CEREAL FREE?

- Grain free
- Source of fibres
- Covers daily requirements of trace elements, vitamins and essential amino acids
- Source of Omega 3 and 6

## RECOMMENDED DOSES

1 measure REVERDY (2 L) = 1.4 KG  
500 kg adult horse

| ACTIVITY                                                           | DAILY RATION |         |
|--------------------------------------------------------------------|--------------|---------|
|                                                                    | KG           | L       |
| At rest                                                            | 1 - 1.4      | 1.5 - 2 |
| Equestrian sports/<br>Leisure activities /<br>Low to moderate work | 1.4 - 2.1    | 2 - 3   |

Expiry date : 6 months

## COMPOSITION



Alfalfa, Extruded soya beans without GMO\*, TRADI-LIN Extruded linseed, Soya bean meal without GMO\*, Dehydrated carrots, Chicory pulp, Magnesium phosphate, Sodium chloride, Trace elements and Vitamins.

\*Soya naturally rich in lysine, without GMO (<0.9%)

## COMPOSITION

### ANALYTICAL CONSTITUENTS

|                      |        |
|----------------------|--------|
| Humidity .....       | 11.5 % |
| Crude proteins ..... | 21%    |
| Crude fats .....     | 7%     |
| Crude fibre .....    | 16 %   |
| Crude ash .....      | 11%    |
| Calcium .....        | 1.6 %  |
| Phosphorus.....      | 0.7%   |
| Magnesium.....       | 0.8 %  |
| Sodium .....         | 0.2 %  |

### CARBOHYDRATES

|              |       |
|--------------|-------|
| Starch ..... | 1.5 % |
| Sugars.....  | 6 %   |

### ESSENTIAL FATTY ACIDS/KG

|                               |        |
|-------------------------------|--------|
| Linolenic acid (Omega 3)..... | 20.5 g |
| Linoleic acid (Omega 6) ..... | 19 g   |

### AMINO ACIDS/KG

|                  |           |
|------------------|-----------|
| Lysine.....      | 11,150 mg |
| Threonine .....  | 8,400 mg  |
| Methionine ..... | 3,150 mg  |

### RATIONING VALUES/KG

|                              |         |
|------------------------------|---------|
| UFC.....                     | 0.74    |
| DE (Digestible Energy) ..... | 11.5 MJ |
| MADC .....                   | 152 g   |

### TRACE ELEMENTS/KG

|                                       |        |
|---------------------------------------|--------|
| Zinc (Chloride hydroxide).....        | 180 mg |
| Copper (Chloride tri hydroxide) ..... | 70 mg  |
| Manganese (Oxide) .....               | 100 mg |
| Iron (Sulphate).....                  | 70 mg  |
| Iodine (Calcium iodate) .....         | 1 mg   |
| Selenium (Organic selenium) .....     | 1 mg   |

### VITAMINS/KG

|                                     |          |
|-------------------------------------|----------|
| Vitamin A.....                      | 30,000IU |
| Vitamin D3.....                     | 3,000 IU |
| Vitamin E .....                     | 800 mg   |
| Vitamin K3.....                     | 4 mg     |
| Vitamin B1 (Thiamin).....           | 40 mg    |
| Vitamin B2 (Riboflavin) .....       | 30 mg    |
| Vitamin B3 (PP or Niacin) .....     | 70 mg    |
| Vitamin B5 (Pantothenic acid) ..... | 30 mg    |
| Vitamin B6 (Pyridoxine) .....       | 20 mg    |
| Vitamin B8 (Biotin).....            | 1 mg     |
| Vitamin B9 (Folic acid).....        | 7 mg     |
| Vitamin B12 (Cyanocobalamin).....   | 0.2 mg   |

## THE REVERDY QUALITY

**Raw ingredients selected for their nutritional qualities**

- ✓ No molasses
- ✓ No GMO (<0.9%)
- ✓ Oils and fats rich in Omega 3 and 6
- ✓ Soya naturally rich in lysine
- ✓ Optimal doses of vitamins
- ✓ Easily assimilated Trace elements (zinc, copper, selenium)

## DIRECTIONS FOR USE

These recommendations are based on the requirements of a 500 kg horse, fed ad-lib quality hay with free access to a pure salt block and clean water.

The amount fed must be precisely adjusted according to:

- Horse body condition, weight and workload;
- Horse stabling and climatic conditions;
- Quantity, quality, and type of forage fed daily.

**It is best to distribute 1L maximum per meal.**

### Precautions for use

**This feed needs to be soaked, ideally with slightly warm water. Wait for complete pellet disintegration before feeding.**

**Due to the presence of high levels of trace elements and vitamins, respect the daily recommended doses.**